


Dry All®

Full Range of HVAC&R Line Products



Access Valve

Introduction

Dry All Access valves are essential components in refrigeration and air conditioning systems. They provide a secure and reliable connection point for charging refrigerant, pressure testing, and system maintenance. Designed for compatibility with various refrigerants, these valves ensure efficient operation and easy access for service technicians.


Key Features

- Leak-Proof Design
- Wide Refrigerant Compatibility
- Temperature & Pressure Resistant
- Compact & Easy Installation

Applications

1. Refrigerant Charging - Allows technicians to add refrigerant to the system.
2. Refrigerant Recovery - Enables refrigerant removal during repairs or maintenance.
3. Pressure and Vacuum Testing - Used for measuring system pressure and performing vacuum tests.
4. Leak Detection - Provides access for leak detection tools and equipment.
5. Component Replacement - Facilitates disconnection/reconnection of refrigerant lines during repairs.
6. System Evacuation and Pressure Testing After Repairs - Ensures the system is sealed and ready after repairs.


Drawing & Models Available



Access Valve

S/N	Model No.	Connection Size ODM		SAE Thread Size
		(inch)	(mm)	
1	DA-AV-130-2SX2F	1/4"	6.35	7/16 " UNF-20TPI

Nomenclature



Technical Specification

- Max. working Pressure: 45 Bar (653 Psig)
- Temperature Range:-20°C to + 120°C
- Suitable Medium: Compatible with all HCFC, HFC, HFO and HC such as R410a, R407c, R134a, R32, R22, R600 etc. refrigerants

Note: Dry All reserves the right to alter its products without notice and will not accept any responsibility for possible errors in catalogues, brochures and other printed materials. Imitation / reproduction of information from this catalogue in part or whole cannot be done without prior approval in writing from our company.

Check Hologram for
Genuine Product



Full Range of HVAC&R Line Products

Manufactured by:

SAFE A&T Technology Private Limited

D-4, MIDC, Phase II, Dombivali (E),
Dist. Thane-421 201.

T : +91-(0)-251-2870680/81/82

Customer Care : +91 8181 994 994

E : info@dryall.net

W : www.dryall.net

File No.: L/S&M/01

REV: 00